

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4838	(sql with statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:21
S2	435271	(sql with (statement\$1 or command\$1) with (convert \$3 or translat\$3 or compil \$3) (tree or hierarch\$3 or structur\$3) with (declarat \$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:24
S3	18	(java with (statement\$1 or command\$2 or script\$3 or structure ) with (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3) with (declarat \$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:27
S4	18	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:28
S5	7	S4 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:28
S6	1	S4 and @ad<"20020301" and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:33
S7	14	(sql with (statement\$1 or command\$1) with (convert \$3 or translat\$3 or compil \$3) with (tree or hierarch \$3 or structur\$3) with (declarat \$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:37
S8	1	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:37

S9	7	S3 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:42
S10	8	S7 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:42
S11	18	(sql with (statement\$1 or command\$1) with (convert \$3 or translat\$3 or compil \$3 or embedd\$5) with (tree or hierarch\$3 or structur\$3) with (declarat \$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:45
S12	11	S11 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:45
S13	1	(sql with (statement\$1 or command\$1) with (convert \$3 or translat\$3 or compil \$3 or embedd\$5) with (tree or hierarch\$3 or structur\$3) with (declarat \$4 or function\$1) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:52
S14	1	(sql with (convert\$3 or translat\$3 or compil\$3 or embedd\$5) with (tree or hierarch\$3 or structur\$3) with (declarat\$4 or function \$1) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:53
S15	225	(sql with (convert\$3 or translat\$3 or compil\$3 or embedd\$5) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:53
S16	45	(sql with (convert\$3 or translat\$3 or compil\$3 or embedd\$5) with (tree or hierarch\$3 or structur\$3) with (declarat\$4 or function \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:53
S17	4	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 07:54

S18	2	("7136847").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:09
S19	105	S15 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:14
S20	379	(sql with (convert\$3 or translat\$3 or compil\$3 or embedd\$5) same java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:15
S21	21	(sql with (convert\$3 or translat\$3 or compil\$3 or embedd\$5) near java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:15
S22	11	S21 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:15
S23	285	(JDBC with sql) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:28
S24	1	S16 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:28
S25	86	(Java near sql) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:31
S26	225	(sql with (convert\$3 or translat\$3 or compil\$3 or embedd\$5) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:31
S27	13	S25 and S26 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 08:32

S28	16	(Java near sql) and (sql with interface) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 09:44
S29	6	(Java near sql) and (sql with function with call) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 09:49
S30	2	(java with sql with function with call) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:01
S31	0	(java with embeded with sql) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:15
S32	44	(java with embedded with sql) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:16
S33	88	( sql with function with call) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:16
S34	5	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:16
S35	146	(java with (embedded or run\$5 or execut\$3 or compil\$3 or translat\$3 or convert\$3) with sql) and @ad< "20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:18
S36	8	S35 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/30 10:18
S37	2	"090068".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 07:46

S38	254	sql near java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:04
S39	212	sql near (embed\$5 or compil\$3 or run\$3 or execut\$3 or convert\$3 or translat\$3) with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:06
S40	44	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:07
S41	19	S40 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:07
S42	101	sql near (embed\$5 or compil\$3 or convert\$3 or translat\$3) with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:57
S43	141	sql near (declar\$5 or call \$3 ) with (tree or structur \$3 or hiearch\$3 or model )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:58
S44	0	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:59
S45	894	sql with (declar\$5 or call \$3 ) with (tree or structur \$3 or hiearch\$3 or model )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:59
S46	6	S42 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 08:59
S47	2	("6378126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 04:38

S48	0	(assembl\$3 or compil\$3 ) near sql near java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 04:58
S49	476	(assembl\$3 or compil\$3 ) with sql with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 04:58
S50	160	sql with call with function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 04:58
S51	0	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 04:59
S52	0	S49 and (sql with (function\$1 or declarat\$3) with call\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 04:59
S53	9	java with (sql with (function\$1 or declarat\$3) with call\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:00
S54	49	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with (declar\$5 or function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:08
S55	2	S49 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:08
S56	6	(sql with java) and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:09
S57	6793	( (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (declarat\$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:51

S58	37	(sql with (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (declarat\$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:51
S59	12	S58 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:51
S60	4	S59 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:51
S61	38	(sql with (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime) or syntax) with (declarat\$4 or function \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:54
S62	4	S59 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:54
S63	15	S61 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:54
S64	40	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or bytecode or runtime) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (declarat\$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:58
S65	4	S64 and java and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:58
S66	15	S64 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:58

S67	537	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or bytecode or runtime) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 05:59
S68	517	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 ) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:00
S69	0	S57 and S68 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:00
S70	45	S68 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:00
S71	1	S70 and (sql with runtime)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:01
S72	11	S70 and (sql with execut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:01
S73	2	S70 and byte\$code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:03
S74	3	S70 and ((machine or runtime) adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:15
S75	15	S64 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:25
S76	27	(sql with (convert\$3 or translat\$3 ) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (declarat\$4 or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:48

S77	12	S76 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:48
S78	2	("5471613").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:52
S79	955	( (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with sql)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:55
S80	155	S79 and (sql near compil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:56
S81	28	S80 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:56
S82	13	S81 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 06:56
S83	106	S80 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:03
S84	40	S83 and (sql with (translat\$3 or convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:04
S85	2	S83 and (sql with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:07
S86	91	S83 and (sql with (cod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:08

S87	17	S83 and (sql near (cod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:09
S88	70	( (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (function\$3 or declarat\$3 or defin\$4) with sql)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:26
S89	27	S88 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:26
S90	39	( (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (function\$3 or declarat\$3 or defin\$4) with language with sql)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:28
S91	19	S90 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:29
S92	38	( (convert\$3 or translat\$3 or compil\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with (function\$3 or declarat\$3 ) with sql)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:36
S93	14	S92 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:36
S94	19	(sql with (translat\$3 or convert\$3) with (assembl\$3 or compil\$3 ) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:36
S95	4	S94 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:37

S96	21	(sql with (translat\$3 or convert\$3) with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:40
S97	4	S96 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:40
S98	112	(sql with (translat\$3 or convert\$3 or encod\$3 or cod\$3) with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:41
S99	23	S98 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:41
S100	647	(sql with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:46
S101	11	(sql near (assembl\$3 or compil\$3 or embed\$4 or runtime ) near java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:46
S102	106	(sql near (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:47
S103	0	(sql near (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java near statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:48
S104	1	(sql with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java near statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:50
S105	9	(sql with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java with statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:50

S106	647	(sql with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with java )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:51
S107	48	(sql with (translat\$3 or convert\$3) with (assembl\$3 or compil\$3 or embed\$4 or runtime ) with (structur\$3 or tree or hierarach\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:52
S108	3	S106 and S107 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:52
S109	31	S107 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:54
S110	4	(sql with (translat\$3 or convert\$3) with ((function\$3 or declarat\$3 or machine or byte) near language) with (structur\$3 or tree or hierarach\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 08:58
S111	248	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with cobol with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:08
S112	218	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with cobol with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:09
S113	2	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with (function\$3 or declarat\$3) with language with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:09
S114	2	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with (function\$3 or declarat\$3) with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:10

S115	2	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with (function \$3 or declarat\$3) with cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:10
S116	2	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with (function \$3 or declarat\$3) with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:10
S117	246	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:11
S118	218	S117 and (cobol with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:11
S119	0	S118 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:11
S120	0	S116 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:12
S121	47	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with (tree or structur\$3 or hierarch\$3) with (function \$3 or declarat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:12
S122	18	S121 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:12
S123	566	sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or run\$3 ) with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:13
S124	0	S122 and S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:13

S125	32	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or bytecode or runtime) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with syntax)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:22
S126	11	S125 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:22
S127	38	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or bytecode or runtime or transform\$3 or pars\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with syntax)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:24
S128	13	S127 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:24
S129	1592	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or bytecode or runtime or transform\$3 or pars\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:25
S130	320	S129 and (sql with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:26
S131	26	S130 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:26
S132	250	(sql with (convert\$3 or translat\$3 or compil\$3 or assembl\$3 or bytecode or runtime or transform\$3 or pars\$3) with (tree or hierarch\$3 or structur\$3 or (represent\$3 near runtime)) with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:32

S133	4	S132 and java and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:33
S134	208	(sql with pars\$3 with tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:37
S135	2384	sql with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:37
S136	33	S134 and S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:37
S137	9	S136 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:37
S138	234	sql with java with (execut \$3 or runtime)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:42
S139	108	S138 and (sql with (structur\$3 or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:42
S140	29	S139 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:42
S141	5	S138 and (sql with (hierarch\$3 or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:48
S142	0	S141 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:48

S143	230	(sql with (hierarch\$3 or tree) with (convert\$3 or translat\$3 or compil\$3 or embed\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:50
S144	7	S143 and java and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:50
S145	2	"090068".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:57
S146	11	(sql with (hierarch\$3 or tree) with (syntax or function\$3 or declar\$5) with (convert\$3 or translat\$3 or compil\$3 or embed\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:58
S147	2	S146 and java and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:58
S148	4	S146 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 09:59

10/8/2008 11:51:47 AM

C:\Documents and Settings\cnguyen14\My Documents\EAST\Workspaces\10090068.wsp